i-LUMINOSITY
LED LIGHTING FIXTURES

Date: _____
Project: _____
Price: _____

Stark Adjustable LED Down-light





Round with Frame less

Description

Stark LED Down-light is a cost effective and energy efficient LED light with Dark-light technology and low UGR. The adjustable head is able to meet various environment needs.


Round with Trim



Round with Trim less

Features

Input Power 100-277V AC
Input Wattage 12W, 20W, 30W, and 35W
Lumens Output 100 LM/W ±10%
Dimming Option 0-10V, Dali, and Triac
CRI >90
Finish Option White or Black
Reflector Color Option White, Black, or Silver
Light Head Adjustable
Available Shapes Square or Round
Mounting Recessed
Dark-light Technology
Working Temperature -4°F - 104°F
UGR <13
Wet locations IP44 rated
L70 Lifespan >50,000 hours
Warranty 5 Year



Square with Frame less



Square

(888) 998-LEDS (5337) | i-luminosity.com | info@i-luminosity.com

i-LUMINOSITY
LED LIGHTING FIXTURES

Date: _____
Project: _____
Price: _____


Cover Options




Pin Cover*



Oval Cover*



Honeycomb Cover



Soft-light Plate Cove

* only available for 12W round

Ordering Key

ILDLSTDT _____ _____ _____ _____ _____ _____ _____ _____ _____ _____ _____

SERIES NUMBER	SIZE	SHAPE	WATTS/ LUMENS	CCT	TRIM FINISH	REFLECTOR FINISH	BEAM ANGLE	DIMMABLE	COVER POTIONS	FRAME POTIONS
ILDLSTDT	**3 -** 3"	**R -** Round	**12W -** 1050LM	**27K -** 2700K	**B -** BLACK	**B -** BLACK	**15 -** 15°	**DD -** DALL DIMMING	**H -** HONEYCOMB	**L -** TRIMLESS
	4 - 4 1/4"		**20W -** 1800LM	**3K -** 3000K	**W -** WHITE	**W -** WHITE	**24 -** 24°	**DM -** 0-10V DIMMING	**O -** OVAL	**F -** FRAMELESS
	5 - 5 7/8"		**30W -** 2700LM	**35K -** 3500K		**S -** SILVER	**38 -** 38°	**TD -** TRIAC DIMMING	**P -** PIN	**EM -** Emergency
	6 - 6"		**35W -** 3600LM	**4K -** 4000K			**55 -** 55°		**S -** SOFT LIGHT PLATE	
	3 - 3"	**Q -** Square	**10W -** 850LM	**5K -** 5000K						
			12W - 10800LM	**6K -** 6000K						
	4 - 4		**15W -** 1300LM							
			20W - 1800LM							


SAMPLE ITEM NUMBER : ILDLSTDT 3 R 12W 27K B B 15 DD H L

(888) 998-LEDS (5337) | i-luminosity.com | info@i-luminosity.com


i-LUMINOSITY
LED LIGHTING FIXTURES

Date: _____
Project: _____
Price: _____


Dimensions




12 W Round



20 W Square




30 W Round




35 W Round






12 W Square







20 W Round


Photometrics










15°









24°







38°

c UL us LISTED · FC · DLC QPL DLC LISTED · CE · ENERGY STAR · TITLE 24 COMPLIANT · RoHS · 7 YEAR WARRANTY · BROOKLYN MADE

(888) 998-LEDS (5337) | i-luminosity.com | info@i-luminosity.com