


Date:	_____
Project:	_____
Price:	_____

# LINEAR LIGHT PENDANT PR1

## Description:

Where there's a need for overhead lighting, our Customizable Linear Light fixtures deliver. These pendant fixtures are light and efficient, and can mount to drop ceilings, concrete or drywall/gypsum. Available in multiple styles and lengths, our Linear Light Fixtures can be powder coated to match any color in your design. Available in a variety of sizes, and 5 different color temperatures.



## Features:

- Input Power: 120 - 277 VAC.
- Power Consumption: 2.7W/ft, 3.5W/ft & 7.2W/ft.
- Lumen Output: 99Lm/W, 107 Lm/W, 113Lm/W.
- 0 - 10 V dimmable option available.
- Lighting controls option available.
- Size Options: 2ft , 4ft, 8 ft or customizable length.
- Finish Options Available: Black, white or aluminum.
- Available Color Options: 2700K, 3000K, 3500K, 4000K or 5000K.
- Beam Angle: 140°
- 7 Year Warranty.

## Applications:

- Commercial
- Entertainment
- Healthcare
- Hospitality
- Museums
- Public Spaces
- Residential
- Retail




PENDANT



ACCENT LIGHTING

## Available Color Options:





**i-LUMINOSITY**  
LED LIGHTING FIXTURES

Date:	_____
Project:	_____
Price:	_____

## Specifications:


	W/ft	lm/ft	W/2 ft	lm/2 ft	W/4 ft	lm/4 ft	W/8 ft	lm/8 ft	lm/W
Low Output	2.7	300	5.3	600	10.6	1200	21.2	2400	113
Standard Output	3.5	374	7	748	14	1496	28	2992	107
High Output	7.2	715	14.4	1430	28.8	2860	57.6	5720	99

## Dimensions:

**Length:** 2 ft / 4 ft / 8 ft

**Width:** 0.77 in

**Height:** 1.59 in



## Ordering Key:

SERIES NUMBER	WATTS/ SIZE/ LUMENS	CCT	FINISH	ADDITIONAL OPTIONS
ILLPRAC	3.5W - 1 FT / 374	27K - 2700K	B - BLACK	DIM - 1-10V DIMMING
	7W - 2 FT / 748	3K - 3000K	W - WHITE	
	14W - 4 FT / 1,496	35K - 3500K	AL - ALUMINUM	
	28W - 8 FT / 2,992	4K - 4000K		
		5K - 5000K		

SAMPLE ITEM NUMBER: ILLPRAC 7W 35K B DIM

## Electrical Data:

- **Input Power:** Stays consistent over life.
- **Input Voltage:** 100-277 VAC
- **Operating Temperature:** -4°F ~ 104°F
- **CRI:** >90
- **L70 Lifetime:** >50,000 hours.

## Controls:

- This LED fixture is equipped with 0-10V dimming that works universally with any standard 0-10V control or dimmer.




Date:	_____
Project:	_____
Price:	_____

## PR1 Linear Light Installation Instructions

### Junction Box Hanging Kit:

WITH POWER FEED




#### ITEMS INCLUDED

- 1 - Drop Ceiling Junction Box \*(sold separately)
- 2 - 1/4" - 20 x 3/4" L Philips Flat Head Screw
- 3 - Countersunk 1/4" - 20 Gem Bar
- 4 - Strain Relief Bushing
- 5 - 5" Canopy
- 6 - Two-piece Cable Coupler
- 7 - Power Cord
- 8 - Cable Tie (1 per ft)
- 9 - 1/16" Cable

\*Junction Box part : JBOX

WITHOUT POWER FEED



#### ITEMS INCLUDED


- 1 - Drop Ceiling Junction Box \*(sold separately)
- 2 - 1/4" - 20 x 3/4" L Philips Flat Head Screw
- 3 - Countersunk 1/4" - 20 Gem Bar
- 4 - 5" Canopy
- 5 - Two-piece Cable Coupler
- 6 - 1/16" Cable

\*Junction Box part : JBOX

Date:	_____
Project:	_____
Price:	_____

## T- Bar Hanging Kit:

WITH POWER FEED




JUNCTION BOX / T-BAR ASSEMBLY  
UNDERSIDE VIEW

### ITEMS INCLUDED

- 1 - Drop Ceiling Junction Box (included)
- 2 - T-Bar
- 3 - 1/4" - 20 x 3/4" L Philips Flat Head Screw 4 - Countersunk 1/4" - 20 Gem Bar
- 5 - Strain Relief Bushing
- 6 - 5" Canopy
- 7 - Two-piece Cable Coupler
- 8 - Power Cord
- 9 - Cable Tie (1 per ft)
- 10 - 1/16" Cable

WITHOUT POWER FEED




### ITEMS INCLUDED

- 1 - Drop Ceiling Junction Box (included)
- 2 - T-Bar
- 3 - 1/4" - 20 x 3/4" L Philips Flat Head Screw 4 - Countersunk 1/4" - 20 Gem Bar
- 5 - 5" Canopy
- 6 - Two-piece Cable Coupler
- 7 - 1/16" Cable

Date:	_____
Project:	_____
Price:	_____

## Dry Wall Hanging Kit:

WITHOUT POWER FEED




### ITEMS INCLUDED

- 1 - Drop Ceiling Junction Box \*(sold separately)
- 2 - 1/4" - 20 x 3/4" L Philips Flat Head Screw
- 3 - Countersunk 1/4" - 20 Gem Bar
- 4 - 5" Canopy
- 5 - Two-piece Cable Coupler
- 6 - 1/16" Cable

\*Junction Box part : JBOX

SHEETROCK WITHOUT POWER FEED



### ITEMS INCLUDED

- 1 - 1/4" - 20 Toggle Butterfly
- 2 - 1/4" - 20 x 3" Slotted Bolt
- 3 - Hanger Bolt
- 4 - 2" Canopy
- 5 - One-piece Cable Coupler
- 6 - 1/16" Cable