


## SL LED LINEAR LIGHT

### Description

The SL Linear Light is a stand alone fixture in 4FT or 8FT options. This dimmable fixture has a high lumen output and an even lightspread. This fixture is perfect for offices, retail spaces, conference rooms and many more applications.

### Features:

- Easy Installation
- Input Power: 100-277VAC or 120-347V
  - Includes over voltage protection, surge, short circuit protection and over load protection.
- Power Consumption: 35W or 60W
- Lumen Output: 130 LM/W.
- L70 Lifetime: >60,000 hours.
- 0-10V dimmable option available,
- Lighting control options available.
- Housing Options Available: White, Grey or Black.
- Color Options Available:
  - Single 3500K, 4000K or 5000K
  - Tuneable 2700K~5000K
- IP Rating: IP40 - damp locations.
- Available Mounting Options: Pendant, surface and wall mount
- 7 Year Warranty.




### Applications:

- Offices
- Conference Rooms
- Hotels
- Retail
- Malls
- Schools



## Dimensions:



## Ordering Key:

ILLLSLRD				
SERIES NUMBER	SIZE/ WATTS/ LUMENS	CCT	FINISH	ADDITIONAL OPTIONS
ILLLSLRD	4 FT - 35W / 4,585	35K - 3500K	B - BLACK	DM - 0-10V DIMMING
	8FT - 60W / 7,800	4K - 4000K	W - WHITE	EM -EMERGENCY BACKUP
		5K - 5000K	G - GREY	MS - MOTION SENSOR
		TK - TUNEABLE		

SAMPLE ITEM NUMBER: ILLLSLRD 4FT 3K W DIM

## Electrical Data:


- **Input Power:** Stays consistent over life.
- **Input Voltage:** 100-277 VAC or 120-347V
- **Operating Temperature:** -4°F ~ 104°F
- **CRI:** >90
- **L70 Lifetime:** >60,000 hours.

## Controls:


- This LED fixture is equipped with 0-10V dimming that works universally with any standard 0-10V control or dimmer.




# Mounting Details:



CABLE




SURFACE




WALL

## - MOUNTING DETAILS


Surface



Wall



Cable



Stem (Pendent)

