



**i-LUMINOSITY**  
LED LIGHTING FIXTURES

Date:	_____
Project:	_____
Price:	_____

# LED Mini Panel Light

## Description:

Our LED Mini Panel Light ensures an even illumination across any surface. With a unique magnetic trim, our panels allow you to interchange the trim with a wide array of colors. Our Mini Panel is available in a round or square option. These panels can be surface mounted.

## Features:

- Input Power: AC 120V, 50/60 Hz
- Housing Material: Thermal plastic cover & aluminum cooler inside with reflector cup
- Wattage: 6W/12W/18W/24W
- CRI >90
- CCT: 3000K, 4000K & 5000K options are built in to each fixture allowing you to change the CCT from 3000K to 5000K with the switch of a button.
- Mounting: Surface mounted.
- L70 Lifetime: >50,000 hours.
- Available Finish Options: Black, White, Rose Gold, Silver, or Bronze.
- 0-10V dimming option available.
- Lighting controls option available.
- 7 Year Warranty.
- Dimensions: 5.3 x .5
  - 7.1 x .5
  - 8.9 x .5
  - 11.8 x .5



Date:	_____
Project:	_____
Price:	_____

## Ordering Key:

SERIES NUMBER	LUMENS/ WATTS/ SIZE/	CCT*	FINISH	ADDITIONAL OPTIONS
ILMPLHO	360 - 6w / 5.3 IN	3 - 3000K	RG - RED GOLDEN	DM - 0-10V DIMMING
	840 - 12w / 7.1 IN	4 - 4000K	BB - BRUSHED BRONZE	RD - ROUND
	1260 - 18w / 8.9 IN	5 - 5000K	BN - BRUSHED NICKEL	SQ - SQUARE
	1920 - 24w / 11.8 IN		PB - POLISHED BLACK	CCT- MANUAL CCT SWITCH
	400 - 6w / 5.3 IN		PC - POLISHED CHROME	PIR - PIR SENSOR*
	1000 - 12w / 7.1 IN			
	1530 - 18w / 8.9 IN*			
	1920 - 24w / 11.8 IN			

CCT\*: 3000K, 4000K & 5000K options are built in to each fixture allowing you to change the CCT from 3000K to 5000K with the switch of a button.

SAMPLE ITEM NUMBER: ILMPLHO 840 4 BN DM

\*Integrated PIR Sensor 18W 9IN only.

## Electrical Data:

- **Input Power:** Stays consistent over life.
- **Input Voltage:** 120-277 VAC
- **CRI:** >90
- **L70 Lifetime:** >50,000 hours.

## Controls:

- This LED fixture is equipped with 0-10V dimming that works universally with any standard 0-10V control or dimmer.

## Optical System:

- A unique combination of reflective & refractive optical components achieves a uniform, comfortable look while eliminating pixelation & color fringing.
- Parts work in unison to optimize light distribution, balancing the high delivery of high illuminance levels on horizontal surfaces with an ideal amount of light on walls and vertical surfaces, increasing perception of spaciousness.

