

Date: _	Į
Date	-
Project:	 _
Price:	
	-

NOT YOUR EVERYDAY TRACK LIGHT

Description:

Our Not Your Everyday Track Light is well versed in color, wattage, and mounting options. This fixture can be used as a sconce, track light, or pendant with it's various mounting options.



Features:

- Triac dimmable, compatible with both ELV and MLV dimmer.
- Wattage: 8W, 10W, 15W, 17W, 22W, 38W, 42W
- Beam Spread: 15°/24°/38°/60°
- CRI >90
- Available Color Options: See below.
- Available Mounting Options: Ceiling mounted, suspended, track
- L70 Lifetime: >50,000 hours.
- Available Finish Options: Black, white or silver
- Lighting controls option available.
- 7 Year Warranty.
- Dimensions:
 - o (D) 2.4" x (H) 4.3" x (L) 4.7"
 - o (D) 2.7" x (H) 4.6" x (L) 5.2"
 - \circ (D) 3.4" x (H) 6.2" x (L) 5.8"
 - $\circ \quad \text{(D) 3.9" x (H) 6.8" x (L) 6.5"}$























Date: .	
Project:	
Price:	
_	_



Power Consumption: 8W, 10W, 15W, 22W or 42W

Finish: Black, White, Silver

Dimming: Triac dimmable track head, compatible with both ELV and MLV dimmer

42W not dimmable

CCT: 2700K/3000K/3500K/4000K/5000K

Dimensions: 2.4" x 4.3" x 4.7" (8W), 2.7" x 4.6" x 5.2" (10W), 3.4" x 6.2" x 5.8" (22W), 3.9" x 6.8" x

6.5" (42W).



Power Consumption: 8W, 10W, 15W, or 22W

Finish: Black or White

Dimming: Triac and ELV dimming

CCT: 2700K/3000K/3500K/4000K/5000K

Compact diameter of 2 3/8"(8W), 2 3/4"(10W/15W), 3 3/16"(22W)



Power Consumption: 8W, 10W, 15W, or 22W

Finish: Black or White

Dimming: Triac and ELV dimming

CCT: 2700K/3000K/3500K/4000K/5000K

Compact diameter of 2 3/8"(8W), 2 3/4"(10W/15W), 3 3/16"(22W)

Style 4:



Power Consumption: 8W, 15W, or 22W

Finish: Black or White

Dimming: Triac and ELV dimming; Non-dim for 38W

CCT: 2700K/3000K/3500K/4000K/5000K

Compact diameter of 2 3/8"(8W), 2 3/4"(10W/15W), 3 3/16"(22W), 3 15/16"(38W)



Date: _	
Project:	
Price:	

Style 5:



Power Consumption: 17W

Finish: Black, White, Silver

Dimming: Triac dimmable track head, compatible with both ELV and MLV dimmer

CCT: 2700K/3000K/3500K/4000K/5000K

Dimensions: 5.6" (H) x 2.5" (D)

Ordering Key:

ILTLMBKL					
SERIES NUMBER	STYLE	WATTS/ LUMENS	ССТ	FINISH	ADDITONAL OPTIONS
ILTLMBKL	S1 - STYLE 1	8W - 8W / 615	27K - 2700K	B - BLACK	DIM - Triac and ELV dimming
	S2 - STYLE 2	10W - 10W / 860	3K - 3000K	W - WHITE	
	S3 - STYLE 3	15W - 15W / 1,460	35K - 3500K	S - SILVER	
	S4 - STYLE 4	17W - 17W / 1,039	4K - 4000K		
	S5 - STYLE 5	22W - 22W / 2,600	5K - 5000K		
		38W - 38W / 4,800			
		42W* - 42W / 4,800			

*Only Style 1 has a 42W option.

** Only 17W is available in Style 5.

SAMPLE ITEM NUMBER: ILTLMBKL S2 15W 4K W DIM

Electrical Data:

• Input Power: Stays consistent over life.

• Input Voltage: 12V DC

• **CRI:** >90

• **L70** >50,000 hours.

Controls:

• This LED fixture is equipped with 0-10V dimming that works universally with any standard 0-10V control or dimmer.

















