

## LED Gooseneck Barn Fixture

### Description:

Our LED Gooseneck Barn Fixture is UL rated for wet locations and is a great addition to any indoor or outdoor space. Its elegant curves will bring a rustic or industrial edge to your area. This fixture is ideal for entrance ways, corridors, balconies, and general wall lighting.

### Features:

- Input Power: AC 120-277V
- Power Consumption: VARIES
- Lumens Output: VARIES
- Maximum 60 Watts.
- Lighting control options available.
- L70 Lifetime: >50,000 hours
- CRI >90
- Available Color Options: VARIES
- Operating temperature: -40°F ~ 104°F
- Finish option: Black, White, or Red.
- 7 Year Warranty.
- Dimensions: (W) 12.00 (H) 11.50 (D) 15.0



### Ordering Key:

SERIES NUMBER	SIZE	CCT	FINISH	ADDITONAL OPTIONS
ILPFGNSL	A19 - A19	27 - 2700K	BL - BLACK	
	P20 - PAR 20	3 - 3000K	WH - WHITE	
	P30 - PAR 30	35 - 3500K	R - RED	
	B20 - BR20	4 - 4000K		
	B30 - BR30	5 - 5000K		
	B40 - BR40			

SAMPLE ITEM NUMBER: ILPFGNSL P30 3 BL

### Applications:

- Supermarkets
  - Indoor
  - Offices
  - Hallways
  - Lobbys
  - Retail

### Electrical Data:

- **Input power:** Stays consistent over life
- **Input Voltage:** 120-277VAC
- **Operating Temperature:** -40°F ~ 104°F
- **CRI:** >90
- **L70 Lifetime:** ~50,000 hours

### Controls:

- This LED fixture is equipped with a 0-10V dimming driver that works universally with any standard 0-10V control or dimmer.
- This product can be equipped with a motion sensor.
- Emergency backup option is available in event of a power outage.

### Optical System:

- A unique combination of reflective & refractive optical components achieves a uniform, comfortable look while eliminating pixelation & color fringing.
- Parts work in unison to optimize light distribution, balancing the high delivery of high illuminance levels on horizontal surfaces with an ideal amount of light on walls and vertical surfaces, increasing perception of spaciousness.

