

Date:	
Project:	
Price:	

BRYANT DOWNLIGHT:

Description:

Our Bryant Downlights are a new design with the widest variety of reflectors and trims. The array of wattages, sizes, and trim colors, making it ideal for all applications. A smart energy saving solution for offices, residential, lobbies, etc...

Features:

• Secondary Reflector:





- 350° rotatable and 90° tiltable.
- Trimless options available.
- Rated life: 50,000 hours
- CRI>90
- Available in 2700K, 3000K, 4000K.
- Operating temperature: -5F 104F
- Baffle option: Black, White, Silver
- 7 Year Warranty.











RoHS



Date:			
Project:			
Price:			
-			


Downlight



Cutout




Dimensions


















(888)-998-LEDS (5337) | i-luminosity.com | info@i-luminosity.com



Date:		
Project		
Price:		

Downlight	Cutout	Dimensions
	9.1 x 4.6 IN	$\frac{1}{5 \text{ IN}}$
	 13 x 4.6 IN	N 7 13.4 IN
	5 x 5 IN	NO 5.3 x 5.3IN
		N N
	 14.6 x 5 IN	NO 80 5.3 IN 11.1 IN



(888)-998-LEDS (5337) | i-luminosity.com | info@i-luminosity.com



Date:	
Project:	
Price:	
-	

Ordering Key:

ILDRLBRGF					
SERIES NUMBER	WATTS/ SIZE/ LUMENS	ССТ	BAFFLE	S. REFLECTOR	ADDITONAL OPTIONS
ILDRLBRGF	4W - 2IN / 350	27K - 2700K	S - SILVER	G - GOLD	DM - 0-10V DIMMING
	9W - 3IN / 800	3K - 3000K	B - BLACK	B - BLACK	EM - EMERGENCY BACKUP
	13W - 4IN / 1,300	4K - 4000K	W - WHITE	W - WHITE	
	18W - 4IN / 1,700				
	9W - 9.5IN / 800				
	9W - 13.4IN / 800				
	13W - 5.3IN / 1,300				
	13W - 10.3 IN / 1,300				
	13W - 11.1 IN / 1,300				

SAMPLE ITEM NUMBER: ILDRLBRGF 4W 2IN 27K B G DM

