

LED Gowanus Wall Light

Description:

i-Luminosity's LED Gowanus Wall Light comes in a bronze, white, or nickel finish. Suitable for outdoor locations. It is designed for wall mounting with a universal K/O pattern in the back-plate for installation to most standard size junction boxes.

Features:




- Input Power: Universal 100-300 VAC input
- Lighting controls option available.
- CRI >90
- L70 Lifetime: >50,000 hours.
- Available Mounting Options: Wall mounted.
- Includes self-diagnostic feature to monitor proper operation.
- Water-proof test switch and AC-On indicator.
- Optional photo-cell for normally-on operation.
- CCT: 5500K
- Available Finish Options: Bronze, White, Nickel.
- UL Rated - Wet Location
- 7 Year Warranty.
- Dimensions: 6.54" x 3.78" x 10.47"



Date:	_____
Project:	_____
Price:	_____

Dimensions:



Ordering Key 120V:

ILWPGWBC120

SERIES NUMBER	WATTAGE	CCT	FINISH	ADDITIONAL OPTIONS
ILWPGWBC120	9w - 9W	55 - 5,500K	BR - BRONZE	PH - PHOTOCELL
	18w - 18W		W - WHITE	EM - EMERGENCY BACKUP
			N - NICKEL	HTR - HEATER

SAMPLE ITEM NUMBER: ILWPGWBC120 25 4 B MS

Ordering Key 277V:

ILWPGWBC277

SERIES NUMBER	WATTAGE	CCT	FINISH	ADDITIONAL OPTIONS
ILWPGWBC277	9w 9W	55 - 5,500K	BR - BRONZE	PH - PHOTOCELL
	58w - 58W		W - WHITE	EM - EMERGENCY BACKUP
			N - NICKEL	HTR - HEATER

SAMPLE ITEM NUMBER: ILWPGWBC 25 2774 B MS



Date:	_____
Project:	_____
Price:	_____

Controls:

- This LED fixture is equipped with optional photocell and emergency battery backup.

Electrical Data:

- **Input Power:** Stays consistent over life.
- **Input Voltage:** 120-277 VAC
- **CRI:** >90
- **L70 Lifetime:** >50,000 hours.

Optical System:

- A unique combination of reflective & refractive optical components achieves a uniform, comfortable look while eliminating pixelation & color fringing.
- Parts work in unison to optimize light distribution, balancing the high delivery of high illuminance levels on horizontal surfaces with an ideal amount of light on walls and vertical surfaces, increasing perception of spaciousness.

