


Millennium Magnetic Fixture - Louver Options


Our Millennium Magnetic Fixture is a unique piece that is easily customizable. With various magnetic attachments you can direct light in any direction. This spec sheet will outline the **various Louver light** options. This fixture is perfect for offices, retail locations, or supermarkets.

15W A Louver Head



Power	15W
CCT	3000K 4000K
Voltage	DC24V
Output Lumens	1200 lm
CRI	>90
Material	Aluminum
Color	Black


15W B Louver Head




Power	15W
CCT	3000K 4000K
Voltage	DC24V
Output Lumens	1200 lm
CRI	>90
Material	Aluminum
Color	Black

15W A & 15W B Louver Head Photometrics


15° LED 3000K




15° LED 4000K




30° LED 3000K




30° LED 4000K




45° LED 3000K



45° LED 4000K




22W A Louver Head




Power	22W
CCT	3000K ● 4000K ●
Voltage	DC24V
Output Lumens	1760 lm
CRI	>90
Material	Aluminum
Color	Black


22W B Louver Head




Power	22W
CCT	3000K ● 4000K ●
Voltage	DC24V
Output Lumens	1760 lm
CRI	>90
Material	Aluminum
Color	Black




HEIGHT (m)	AVR E (lx)	CENTER E (lx)	DIAMETER (cm)
21.7°			
1.5	1505	2199	58
2	847	1237	77
4	212	309	153
4.5	167	244	173
6	94	137	230
21.8W 1115lm Ra:93			




HEIGHT (m)	AVR E (lx)	CENTER E (lx)	DIAMETER (cm)
30.4°			
1.5	1371	1988	82
2	771	1118	109
4	193	280	218
4.5	152	221	245
6	86	124	327
22.3W 1921lm Ra:92			




HEIGHT (m)	AVR E (lx)	CENTER E (lx)	DIAMETER (cm)
25.8°			
1.5	2234	3237	69
2	1257	1821	92
4	314	455	183
4.5	248	360	206
6	140	202	275
22.6W 1122lm Ra:92			



HEIGHT (m)	AVR E (lx)	CENTER E (lx)	DIAMETER (cm)
24.5°			
1.5	1832	2606	65
2	1030	1466	87
4	258	366	174
4.5	204	290	196
6	114	163	261
21W 1932lm Ra:95			



HEIGHT (m)	AVR E (lx)	CENTER E (lx)	DIAMETER (cm)
38°			
1.5	1212	1780	103
2	682	1001	138
4	170	250	276
4.5	135	198	310
6	76	111	413
22.1W 1138lm Ra:93			



HEIGHT (m)	AVR E (lx)	CENTER E (lx)	DIAMETER (cm)
39°			
1.5	969	1425	106
2	545	802	142
4	136	200	284
4.5	108	158	319
6	61	89	425
22.5W 1956lm Ra:93			

Louver Head Ordering Key:

PLEASE REFERENCE PAGES 1-3 TO ENSURE YOU ARE CHOOSING A COMPATIBLE WATTAGE, CCT, & BEAM ANGLE OPTION.

SERIES NUMBER	TRACK HEAD	CCT	BEAM ANGLE	FINISH
ILLFMVDL	15LH - 15W A LOUVER HEAD	3 - 3000K	15 - 15°	B - BLACK
	15LB - 15W B LOUVER HEAD	4 - 4000K	30 - 30°	
	22LH - 22W A LOUVER HEAD		45 - 45°	
	22LB - 22W B LOUVER HEAD			

SAMPLE ITEM NUMBER: ILLFMVDL 15WW 3 120 B

