


# Laguardia LED Linear

## Description:

Our Laguardia LED Linear is easily linkable to create custom lengths. This fixture can be surface mounted or pendant mounted. Emergency backup & sensor are compatible with this product. The Laguardia LED Linear is ideal for any offices, retail locations, or lobbies.

## Features:

- Input Power: 120~277VAC
- Housing Material: Aluminum Housing
- Wattage: 30W, 40W, 60W, or 80W.
- 130 LM/W
- Linkable for continuous runs.
- CRI >90
- Available Color Options: 3000K, 3500K, 4000K, or 5000K.
- Available Mounting Options: Surface or Pendant Mounted.
- L70 Lifetime: >50,000 hours.
- Finish: Silver
- Emergency Backup & Sensor available.
- Lighting controls option available.
- 7 Year Warranty.



## Dimensions:



30W: 48IN X 2.48IN X 3.15IN



40W: 48IN X 2.48IN X 3.15IN



60W: 48IN X 2.48IN X 3.15IN



60W: 72IN X 2.48IN X 3.15IN6



80W: 96IN X 2.48IN X 3.15IN



# Ordering Key:

ILLLLLRDS				
SERIES NUMBER	WATTS/ SIZE/ LUMENS	CCT	FINISH	ADDITONAL OPTIONS
ILLLLLRDS	30W - 4FT/ 3,900	3 - 3000K	S - SILVER	EM - EMERGENCY BACKUP
	40W - 4FT/ 5,200	35 - 3500K		MS - MOTION SENSOR
	60W - 4FT/ 7,800	4 - 4000K		LK - LINKABLE
	60W5 - 5FT/ 7,800	5 - 5000K		
	80W - 8FT/10,400			

SAMPLE ITEM NUMBER:ILLLLLRDS 60W 35 S EM

# Electrical Data:

- **Input Power:** Stays consistent over life.
- **Input Voltage:** 120-277 VAC
- **CRI:** >90
- **L70 Lifetime:** >50,000 hours.

# Controls:

- This LED fixture is compatible with emergency backup & sensor.

# Optical System:

- A unique combination of reflective & refractive optical components achieves a uniform, comfortable look while eliminating pixelation & color fringing.
- Parts work in unison to optimize light distribution, balancing the high delivery of high illuminance levels on horizontal surfaces with an ideal amount of light on walls and vertical surfaces, increasing perception of spaciousness.

