



i-LUMINOSITY
LED LIGHTING FIXTURES

Nolita UV-GC Linear Fixture

Description:

Our Nolita UV-GC Linear Fixture is a germicidal UVC up & LED Down light. Ideal for use in all settings where bacteria, virus, or mold can be exposed. Excellent for offices, corridors, and retail locations.

Definition: UV-GC lighting eliminates airborne bacteria & viruses through continual dosing and circulation of air throughout the room (see video on website).

Features:

General Features:

- Input Voltage: 100-277V AC/50-60Hz
- Finish: Silver, White, or Black
- Construction: Cold-rolled steel Aluminum 6063
- Mounting: Pendant or Wall mounted
- Length: 4FT or 8FT
- Dimension: 2.17"(55mm)X3.15"(80mm)
- Warranty: 7 Year


Up UV Features:

- Wattage: 10W/ft, 40W(4FT) or 78W(8FT)
- Radiant flux: 300mw (4FT) or 600mw (8FT)
- UVC: 270-280nm, UVA: 390-400nm
- Effectiveness: Kill rate: 99% of Germs


Down light Features:

- Wattage: 8.5W/FT, 34W (4FT) or 68W (8FT)
- Lumen: 836-866LM/FT
- Color Temperature: 3000K, 3500K, 4000K, 5000K
- Beam Angle: 96°
- CRI >90
- Dimmable: 0-10V dimming


Date:	_____
Project:	_____
Price:	_____



Mounting:



Wall Mounted



Pendant Mounted




Ordering Key:

ILUVNUBV					
SERIES NUMBER	SIZE	WATTAGE / LUMEN	CCT	FINISH	ADDITIONAL
ILUVNUBV	4 - 4FT	74W - 34W(D)+ 40W(UP) / 3345-3465LM	3 - 3000K	S - SILVER	DM - 0-10V DIMMING
	8 - 8FT	146W - 68W(D)+78W(UP) / 6700-7105LM	35 - 3500K	W - WHITE	
			4- 4000K	B - BLACK	
			5- 5000K		

Dimensions:







4FT




8FT



Photometrics:



Additional Accessories:



- Pendant



ILBVLPTB-NPF-6M*



ILBVLPTB-PF2-6M*

***Canopy Color Options:** For suspension in either black or white. Please choose your preference in the ordering key.





- Wall mounted



ILBVL-WMS-BF

ILBVLPTB-NPF-6M: Suspension kit / 6ft wire / 1 hole canopy
ILBVLPTB-PF2-6M: Suspension kit / 6ft wire / 2 holes canopy
ILBVL-WMS-BF: Wall Mounting Clips / 1set includes 2pcs

Disassembly Tools:



ILBVLDA: Disassembling tools

