

Oliver Waterproof LED Panel

Description:

Our Oliver waterproof LED Panel is a highly versatile fixture. Mounting options from recessed grid ceilings to suspension. Available in 2x2 or 2x4 ideal for general lighting applications such as open offices, schools, and retail locations.


Features:

- Wattage: 30W or 50W
- Lumens: 120 LM/W
- CCT Adjustable: 3000k, 4000k, 5000k.
- General 0-10V Dimming
- Voltage: 100-277V
- Beam Angle: 120°
- Driver: Fixed on back of panel
- Construction: Aluminum Frame
- CRI >90
- Mounting: Recessed for grid ceiling, exposed t bar. Surface mounted or suspended with wires.
- IP65
- L70 Lifetime: >50,000 hours.
- 7 Year Warranty.




Date:	_____
Project:	_____
Price:	_____

Dimensions:



Product Details:



Date: _____

Project: _____

Price: _____

Ordering Key:

ILPNLOPCX				
SERIES NUMBER	LUMENS/ WATTS/ SIZE/	CCT	FINISH	ADDITIONAL OPTIONS
ILPNLOPCX	3,750 - 30w / 2X2	3 - 3000K	WH - WHITE	RD - RECESSED
	6,250 - 50w / 2X4	4 - 4000K		SU - SUSPENDED
		5 - 5000K		SM - SURFACE MOUNTED
				DIM - 0-10V DIMMING

SAMPLE ITEM NUMBER: ILPNLOPCX 6,250 4 WH SU

Polar Curves Wide Distribution:

