

Date:	_____
Project:	_____
Price:	_____

# LED Hamilton Spot Light

## Description:

Our LED Hamilton Spot Light is offered in black, silver or white finishes. This surface mounted fixture is great for retail locations, museums, residential or commercial applications looking to highlight a targeted area with a decorative design.

## Features:

- Input Power: 120V
- Wattage: 6W, 10W, 15W, 20W
- Available Finish Options: Black, Silver or White
- Lumens: 636 - 2,122
- IP44
- CCT: 2700K, 3000K, 4000K
- Beam Angle: 24°, 45° or 50°
- CRI >90
- L70 Lifetime: >50,000 hours
- 7 Year Warranty



**Square**



**Round**



## Dimensions:

- **Option 1:** (L) 4.7 x (W) 4.7 x (H) 5.3 IN
- **Option 2:** (D) 4.9 x (H) 5.3 IN
- **Option 3:** (L) 3.1 x (W) 3.1 x (H) 4.1 IN
- **Option 4:** (D) 3.1 x (H) 4.1 IN



Date: \_\_\_\_\_  
 Project: \_\_\_\_\_  
 Price: \_\_\_\_\_

**Types:**

Option 1 	Wattage 15W or 20W	Beam Angle 24° or 45°	Ceiling Assembly 
Option 2 	15W or 20W	24° or 45°	
Option 3 	6W or 10W	24° or 50°	
Option 4 	6W or 10W	24° or 50°	

**Reflector Finishing Color:**



**Black**



**White**



**Golden**



**Mirror**



Date:	_____
Project:	_____
Price:	_____

## Ordering Key:

ILDLSVZ

SERIES NUMBER	SIZE	SHAPE	WATTAGE / LUMENS	CCT	TRIM FINISH	REFLECTOR FINISH	BEAM ANGLE	ADDITIONAL OPTIONS
ILDLSVZ	3 - 3 INCH	SQ - SQUARE	6W - 636	27 - 2700K	B - BLACK	B - BLACK	24 - 24°	DM - 1-10V DIMMING
	5 - 5 INCH	RD - ROUND	10W - 1025	3 - 3000K	W - WHITE	W - WHITE	45 - 45°	DD - DALI DIMMING
			15W - 1,528	4 - 4000K	S - SILVER	G - GOLDEN	50 - 50°	TD - TRIAC DIMMING
			20W - 2,122			M - MIRROR		

SAMPLE ITEM NUMBER: ILDLHSVZ 3 SQ 6W 27 B B 24 DD

### Electrical Data:

- **Input Power:** Stays consistent over life.
- **Input Voltage:** 120V
- **CRI:** >90
- **L70** >50,000 hours.

### Controls:

- This LED fixture is equipped with 1-10V dimming that works universally with any standard 1-10V control or dimmer.



Date:	_____
Project:	_____
Price:	_____

## Installation Instructions:

