



i-LUMINOSITY
LED LIGHTING FIXTURES

Date:	_____
Project:	_____
Price:	_____

LED Bella Linear:

Description:

Our LED Bella Linear is an easily customizable linear. This is an ideal fixture for offices, lobbies, residential and retail locations.

LED Strip:



- Power: 7.6 W/FT
- Voltage: 24Vdc
- Lumens: 1,015 LM/FT
- Cutting: .164 FT/Unit
- Beam Angle: 120°
- IP Rating: IP20
- Rated life: 50,000 hours
- CRI>90
- Available in 2700K, 3000K, 4000K, or 6000K.
- Dimming: Triac, 0-10V, or Smart.



Compatible Additional Options:



SC1
Strip
Connector



SC2
Strip
Connector




SC3
Strip
Connector




SC4
Strip
Connector

Dimensions:




Date:	_____
Project:	_____
Price:	_____



Linear Features:



Dimensions:



- Finish: Silver
- Mounting: Suspended



- Construction: Aluminum end cap and profile.
- Diffuser: Frosted.
- Length: 4FT, 6FT, or 8FT

Mounting Options:





Photo	Description	Model code
	Pendant Mount	PM
	Suspension Cable	SP


Photo	Description	Model code	Size(mm)
	Pendant	PF	
	Pendant	NF	



Date: _____
 Project: _____
 Price: _____


Dimming Options:

Triac dimming




LED flexible strip

0-10V dimming




LED flexible strip

Smart dimming



LED flexible strip

PWM Dimming Wiring Diagram:






i-LUMINOSITY
LED LIGHTING FIXTURES

Date:	_____
Project:	_____
Price:	_____

Connection Options:



Linear Ordering Key:

ILLBEBV

SERIES NUMBER	LENGTH	CCT	FINISH	MOUNTING	ADDITIONAL OPTIONS
ILLBEBV	X - CUSTOM LENGTH	27 - 2700K	BL - BLACK	SU - SUSPENDED	PM - PENDANT MOUNT
	* PLEASE SPECIFY LENGTH IN INCHES	3K - 3000K	S - SILVER		SP - SUSPENSION CABLE
		4K - 4000K	WH - WHITE		PF - PENDANT P
		6K - 6000K			NF - PENDANT N
					CL - L CONNECTION
					CN - N CONNECTION
					CT - T CONNECTION
					CX - X CONNECTION
					CR - R CONNECTION

SAMPLE ITEM NUMBER: ILLBEBV 48IN 3K S SU PF






i-LUMINOSITY
LED LIGHTING FIXTURES

Date: _____
Project: _____
Price: _____

Photometrics:

Narrow spectrum



Impressive color consistency within 3 Step MacAdam in the center BIN on the Planck Locus over each individual LED, One Bin Only

Test report

