

Date:	_____
Project:	_____
Price:	_____

LED Garvey Pendant

Description:

Our LED Garvey Pendant comes in six different variations with finish options in either black or white. This fixture is ideal for industrial or residential applications.



Features:

- Input Power: AC 120-277V
- Power Consumption: Choose your Wattage.
- Bulb Size: A19
- Lighting control options available.
- L70 Lifetime: >50,000 hours
- CRI >90
- Available Color Options: 2700K, 3000K, 3500K, 4000K.
- Operating temperature: -4°F ~ 104°F
- Finish option: Black or White.
- 7 Year Warranty.





i-LUMINOSITY
LED LIGHTING FIXTURES

Date:	_____
Project:	_____
Price:	_____

Dimensions:

<p>Option 1:</p>  <p>• 13IN x 13IN x 14.2IN</p>	<p>Option 2:</p>  <p>• 7.9IN x 7.9IN x 15.7IN</p>	<p>Option 3:</p>  <p>• 15.7IN x 15.7IN x 7.1IN</p>	
<p>Option 4:</p>  <p>• 9.8IN x 9.8IN x 15.4IN</p>	<p>Option 5:</p>  <p>• 13.8IN x 13.8IN x 11.8IN</p>	<p>Option 6:</p>  <p>• 15.7IN x 15.7IN x 13IN</p>	<p>Option 7:</p>  <p>• 14"IN x 14"IN x 10.6"IN</p>



Date:	_____
Project:	_____
Price:	_____

Ordering Key:

SERIES NUMBER	OPTION	CCT	FINISH	WATTAGE OPTION
ILPFGPWL	OP1 - OPTION 1	27 - 2700K	BL - BLACK	X - PLEASE INDICATE DESIRED WATTAGE
	OP2 - OPTION 2	3 - 3000K	WH - WHITE	
	OP3 - OPTION 3	35 - 3500K		
	OP4 - OPTION 4	4 - 4000K		
	OP5 - OPTION 5			
	OP6 - OPTION 6			
	OP7 - OPTION 7			

SAMPLE ITEM NUMBER: ILPFGPWL OP2 3 BL 8

Applications:

- Condos
- Indoor
- Industrial
- Residential
- Office
- Retail

Electrical Data:

- **Input power:** Stays consistent over life
- **Input Voltage:** 120-277VAC
- **Operating Temperature:** -4°F ~ 104°F
- **CRI:** >90
- **L70 Lifetime:** ~50,000 hours

Controls:

- This LED fixture is equipped with a 0-10V dimming driver that works universally with any standard 0-10V control or dimmer.

Optical System:

- A unique combination of reflective & refractive optical components achieves a uniform, comfortable look while eliminating pixelation & color fringing.
- Parts work in unison to optimize light distribution, balancing the high delivery of high illuminance levels on horizontal surfaces with an ideal amount of light on walls and vertical surfaces, increasing perception of spaciousness.

