

Date:	_____
Project:	_____
Price:	_____

Sunset LED Post Top Light

Description:

Our Sunset LED Post Top Light is energy efficient with a high lumen output, and optional dimming. Anti-corrosion spraying and unique structural mechanics make it safe, firm and durable. Waterproof fixture works outdoors perfectly.

Features:

- **Input Power:** AC 100-277V, 50/60 Hz
- **Wattage:** Varies See Chart
- **CRI >90**
- **Available Color Options:** 3000K, 4000K, 5000K, or 6500K
- **Available Mounting Options:** Pole Mounted
- **Material:** Aluminum alloy + PC optics lens
- **Working Temperature:** -40°F~122°F
- **Waterproof:** IP65 rated
- **L70 Lifetime:** >54,000 hours
- **0-10V dimming option available**
- **Lighting controls option available**




Date: _____
Project: _____
Price: _____


Applications:

Parking lots, plaza, shopping mall, roadway, garden, site & area lighting, etc.

Dimensions:



Light Distribution:



Ordering Key

ILODSSYR

SERIES NUMBER	WATTS / LUMENS	CCT	FINISH	POLE ADAPTER SHAPE	POLE ADAPTER SIZE	ADDITIONAL OPTIONS
ILODSSYR	35W - 35W / 4550LM	3K-3000K	D - DARK	R - ROUND	3 - 3 INCH	DM - 0-10V DIMMING
	50W - 50W / 6500LM	4K-4000K	BRONZE	S - SQUARE	4 - 4 INCH	MS - MONTION SENSOR
	100W - 100W / 13000LM	5K-5000K	B-BLACK		5 - 5 INCH	PC - PHOTOCELL
	150W - 150W / 19500LM	65K-6500K			6 - 6 INCH	T3 - TYPE III
	200W - 200W / 26000LM					
	300W - 300W / 39000LM					



SAMPLE ITEM NUMBER: ILODSSYR 150W 5K B S



(888) 998-LEDS (5337) | i-luminosity.com | info@i-luminosity.com


Date: _____
Project: _____
Price: _____

PHOTOMETRICS:



INSTALLATION:

WATTS / LUMENS	INSTALL HEIGHT SUGGESTION
35W	10FT - 15FT
50W	15FT - 20FT
100W	25FT - 30FT
150W	30FT - 35FT
200W	35FT - 40FT
300W	40FT - 45FT



ADAPTERS:

